

SpitFire ION™

- SAE Class 1 Certified
- ION Super-LED® interior dash and deck light
- Hard-coated lenses minimize UV damage and resist scratches
- Fully encapsulated for moisture, vibration and corrosion resistance
- Includes universal bracket, windshield suction cup mount
- Includes integral hood and 8' straight cord with cigar plug, On/Off switch with LED "On" indicator and Scan-Lock™ pattern switch
- Five year warranty



SFIONA

Model	Lamp	Amps	VDC	Patterns	Size
SFION*	ION Super-LED	1.0/peak, 0.40/avg	12	25 Scan-Lock	1.625 (41mm) H x 5.125" (130mm) W x 3.375" (86mm) D

Replace symbol* in model number with letter indicating desired color: A = Amber, C = White



Avenger™ II Series

- SAE Class 1 Certified
- Newly designed combination Linear/TIR optics provide high intensity warning and illumination and a smaller profile maximizes space for optimal versatility
- Available in SOLO™ (single color), DUO™ (two color interleaved or TRIO™ (three color interleaved) modules
- Hard-coated lenses minimize UV damage and resist scratches
- Black polycarbonate housing
- Mounts via swivel/bail bracket with three suction cups
- Cigar plug series models include 10' cord with On/Off switch and pattern selection switch
- Hard-wired series models include a 2 wire (SOLO), 3 wire (DUO), or 4 wire (TRIO) pigtail. Consult current price list for models
- Five year warranty



AVC11A

AVC21AB



Model	Series	Lamp	Colors	Override	VDC	Patterns	Size (with shroud)			
AVC11*	SOLO	Single	Amber, Blue, or White	N/A	12	26	1.75" (44mm) H x 6.50" (165mm) W, Single 10.25" (260mm) W, Dual x 4.50" (144mm) D			
AVC21**		Dual	Amber, Blue, or White			55				
AVC12#	DUO	Single	Amber/White, Blue/Amber			26				
AVC22FF		Dual	Two Amber/White			55				
AVC22MM		Dual	Two Blue/Amber							Height with adjustable mounting bracket: 1.6" (41mm) to 1.9" (74mm)
AVC13BAC	TRIO	Single	Blue/Amber/White			White		26		
AVC23BAC		Dual	Blue/Amber/White	White	55					

Replace *in model number with letter indicating color desired: A=Amber, B=Blue, C=White
 Replace # in model number with split colors desired: F=Amber/White, M=Blue/Amber



Model	Option Description
AVBKT1	Low profile mounting (headliner) bracket for single Avenger II Series only
AVBKT2	Low profile mounting (headliner) bracket for dual Avenger II Series only
AVBKT3S	Visor mounting bracket for single Avenger II Series only
AVBKT3D	Visor mounting bracket for dual Avenger II Series only
AVBKT4	Adjustable height bracket kit, for all Avenger IIs
AVBKT5S	Headliner mounting bracket, adjustable, for single Avenger II Series only
AVBKT5D	Headliner mounting bracket, adjustable, for dual Avenger II Series only

FlatLighter™

- Visor mount interior light
- Includes Velcro® mounting straps
- Hard-coated lenses minimize UV damage and resist scratches
- Includes 8' straight cord with cigar plug
- Five year warranty



FLLEDAA

Model	Technology	Amps	VDC	Patterns	Size
FLLED**	LED	0.8	12	21 Scan-Lock™	4.50" (114mm) H x 13" (330mm) W x 1.25" (32mm) D

Replace symbol* in model number with letter indicating desired color: A = Amber, C = White



Option Model	Option Description
43LENS	400 Series color lens, customer installed

SlimLighter®

- SAE Class 1 Certified
- Super-LED® interior light
- Hard-coated lenses minimize UV damage and resist scratches
- Swivel bracket for permanent or suction cup mounting included
- Includes built-in pattern selection button, 10' straight cord w/cigar plug and On/Off switch with LED "On" indicator
- Five year warranty



SLPMMMA

Model	Lamp	Amps	VDC	Patterns	Other
SLPMM**	TIR6™ Super-LED	1.5/peak, 0.6/avg	12	21 Scan-Lock	2" (52mm) H x 16.375" (416mm) W x 1.188" (46mm) D

Replace symbol* in model number with letter indicating desired color: A = Amber, C = White



Slim-Miser™

- LED interior light
- Hard-coated lenses minimize UV damage and resist scratches
- Includes 10' straight cord with cigar plug, On/Off switch and LED "On" indicator
- Swivel mount with 3 suction cups securely hold dash light to windshield minimizing flashback
- Five year warranty



SMLLAA

Model	Lamp	Amps	VDC	Patterns	Size
SMLLAA	LED	0.33/peak, 0.10/avg	12	18 Scan-Lock	1.625" (42mm) H x 12.845" (326mm) W x 2.75" (70mm) D



Dominator™ & Dominator Plus™ Series



- SAE Class 1 Certified
- Low profile surface mount housing designed for interior or exterior use
- Choice of TIR3™ or LINZ6™ Super-LED® modules
- Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals
- Fully encapsulated for moisture, vibration, and corrosion resistance
- Internal self-contained electronics
- Slide bolt mount
- Extruded aluminum Black powder coated housing
- Eight module units available with end flashers
- 12 VDC
- Five year warranty



Model	Lamps	Lamp Type	Amps	VDC	Housing	Cable	Connectors	Patterns	Size	Length
D2AA	2	TIR3	0.44/peak 0.2A/avg per module	12	Rugged extruded aluminum	12" small dia. 4-C #20 AWG	Molex® waterproof	7 Flash patterns and steady on mode	1.188" (35mm) H x 2.188" (55mm) D	7" (178mm)
D4AAAA	4									14" (356mm)
D6AAAAAA	6									23" (584mm)
D800800	8									30" (762mm)
DP2AA	2	LINZ6	0.75/peak 0.30/avg per module	12	Rugged extruded aluminum	12" small dia. 4-C #20 AWG	Molex® waterproof	Pairs may be synchronized to each other	1.188" (35mm) H x 2.188" (55mm) D	7" (178mm)
DP4AAAA	4									14" (356mm)
DP600600	6									23" (584mm)
DP800800	8									30" (762mm)

Model	Option Description
DBKT3	Swivel mount bracket kit for D2, DP2, D4 & DP4 series only, customer installed
DBKT4	"L" angle mounting bracket kit, customer installed
DBKT5	Upper rear window mounting bracket kit for 2008-2016 Chevy Tahoe

For Dominator and Dominator Plus Traffic Advisors™ see page 30